



HONDA



Honda's new CRX is set to rewrite the compact sports car rules, just as its big brother, the NSX, has done in the supercar class. It's an entirely new and exciting thoroughbred sports car.

name than tooking refrespecies by to copy the style of sports cars from days gone by Honda's response – in keeping with its reputation as a technical innovator – has been to use the latest technology possible to create the highly original, all new CRX – our answer to the quest for exciting sports driving in the 1998. Now the CRX contures all the emotional

Now the CAX captures all the emotional appeal of an open-top two seater, but success in retaining all the qualities of its predecessor. The superbly innovative and technologically advanced VTEC engine delivers outstanding performance and economy, packaged in a stylish and compact body.

Like all Hondas, the new CRX owes its technological innovation and detail to the massive resources channelled by Honda in research and development. Part of this



programme is Formula One motor racing, where success after success for more than a decade has established this arena as the proven testing ground for Honda's newtechnology.

It's not just the advanced body shell w helps protect the driver of a

new CRX. All new Hondas come with three different warranties:

a 2 year Unimited Miseage
Warranty, a 3 Year Surface Corrosson Warranty
for exterior paintwork, and a 6 Year Rust
Through Corrosson Warranty


And as if all that protection isn't enough, the new CRX also comes with free 2 years AA membership.


All this cover is backed up by the highes possible standard of service from our nationwide network of carefully selected Honda Dealerships. No wonder more and




















The ozone has never looked more friendly than through the open roof of a new CRX. Here's how to feel on top of the world in a matter of seconds.

The roof panel is made of lightweight aluminium for simple manoeuvring and unclips from either side of the car, to lift off swiftly and easily: Once removed, the panel stows ingeniously away in its own special








rack on the underside of the boot lid, locating it securely and protecting it from damage. But, most importantly, this rack lifts neatly out of the way to allow normal, unrestricted access to the rest of the luggage compartment.

Naturally, all Hondas are also fitted with three way catalytic converters, which means lead-free petrol for them and a cleaner environment for us.


















superbly smooth and effortless delivery of power and torque - but without sacrificing fuel efficiency.

Whilst the single overhead cam ESI version varies the lift and timing of inlet valves only, the DOHC VTi system regulates movement of both inlet and exhaust valves for even greater.



The Inside Story

Fine Features

Remember when a sports car was only a real sports car if it was crude, basic and unreliable? Thankfully, the new CRX puts that myth firmly to rest, by embodying today's technology for today's driver. From the smooth, sculpted lines of the exterior, which reduce wind noise and buffeting to a minimum inside the cabin, to the computer-assisted interior design, which makes maximum use of available space.

But for all that and many other refinements, the new CRX lacks none of the character and charm of traditional pedigree two seaters. It's a sports car for those who enjoy driving something distinctive, modern and, above all, fun. It's for those who get up early on a summer morning to enjoy driving for the sake of driving. It's an exciting step forward, so get ready to fall in love.





















Colour-coded rear spoiler standard on VTE mbances the look and adds a touch more sty

Mode to measure

## Specifications

				DNI .	331	
Englise	Water cooled + stroke transvers	ely mounted	SORCYTEC	H-valve in-line	DONC VTEC 16 sales in line	
	Poel supply system			PCM		
	Boor & stroke	Interi	730	× 900	91.0 × 77.4	
	Displacement	1097	1290		1380	
	Compression ratio		9.2		10.2	
	Maximum horsepower	Mayreer	\$33 hhp. \$380 rpm		158 bhp:7600 rpm	
	Maximum torque	New Irpesi	142 Sm./5300 rpm		158 Nm./7000 rpm	
Trunsmissium	Cherh	Mercal	Dry single plate, disphrages spring type		braight serving from:	
		Automatic	Terque converter with lockup-clutch			
	Transmission type	Metsal	Senchromosh five lorward speeds, one reverse			
		Automotic	4 speed hi	ly automatic		
	Gear ration		Manual	Actomatic	Method	
		Sel	3.250	2,600	3.230	
		2nd	1900	1.310	2.905	
		3rd	1390	0.975	1.458	
		ah	6597	9.772	1,107	
		3th	6279		0.875	
		Eneme	3.153	1.854	3,900	
		Find	4.230	4.333	4206	
Steering System	Gear type.			Rack and pinion w	th power assist	
	Overill ratio			17.1 16.6		
	Turns, lock-to-lock			3.5	3.1	
Brake system  Suspension System	Tipe	Fred		Vention	daca	
	-	See	Leiding and	trailing shoes	Diara	
	Anie circuit		Diagonal dual circuit			
	Parking broke		Mechanical actuating, year toos wheel bridges			
	n Front		Independent double widthone with coll spring with stabilizer			
	Bar		Independent double widthone with cell spring ATI with stabilizers			
Directolismo	Overall length			A005		
	Oursell width	Inesi	1005			
	Overall height	inni	1233			
	Mhoeltane	inni	2279			
	Tread (from rear)	2000	103365			
	Ground degrapes	immi		140,140		
	Curb weight	Mercul lig	_	nse	1170	
		Automatic Ref		090	1120	
	Maximum permissible weight 8			329	3130	
	Tarring circle diameter ist whe			176	100,704	
Electrical system	Return States		12-97			
Tures	Nor		181.00	THE REAL PROPERTY.	255 NO R14 825	
Hibrein	Spe			- 50	54 × 5′0B	
Performance Others	Maximum speed*	Menual mohr		138	131	
	sections deep.	Manual reply		13	7.0	
	Fuel tank capacity	Gal 9	_			
Others			15/0			
	Seating capacity		106/300			
	Boot cult./B irong Marcod Diffus		_	106/3	30.7	
Official government fael consumption	impg) Marsaul	Street		E7	307 #63	
				0.1		
		75mph			37.2	
	topg Automatic	tirbas		9.5		
		Simple		16.1		
		73mph				





## **Major Equipment**

		ESI	175
jeneral	Bemovable roof system	Menual	Manual
	ABS	-	
	Side impact protection bearas		
	Power steering	•	
	Catalytic converter	•	
	From year stabiliser	foot	
	Front ventilated disc brakes		
	Bear disc brokes	-	
	Optional automatic transmission		-
Lateriar	Body coloured burspers		
	Rear boot spoiler	-	
	Laminated winderreen		
	Tirsted side and rear windows		
	Electric door mirrors		
	Alloy selseels	-	
	Alloy style select trians		
nterior	heat coner materials	loney	
	Integrated centre conside with pocket		
	Lockable storage compartments		
	Driver's bostreet		
	Mean view mirror iday/night type!	•	
	Hemote lockable fael lid		
	Electric side and year windows		
	Central locking		
	Pully carpoted floor		
	Survivors with vanity mirror on passenger's side		
Instrumentation	Tilt adjustable steering wheel		
	Tarbonister		
	Automatic transmission mode indicator		10.0
	Side vertilation with ourset abust off valves		
	Cigarette lighter and solvine with illumination		
	Digital clock		
	Four speaker sterro radio consette player		
Electrical system	Four beam headights		
	herd concealed dual mode wipers with wings		
	"Meadight on" reminder tone		
	Boar window dominter		
	Boar fog light		









## HONDA

Trude Descriptions Act (1986).
While efforts are made to ensure operationate accuracy, benchmen are proposed and
While efforts are made to ensure operationate and ensurement of all architectures and ensurements of all architectures and ensurements of action of the action of a perfectual readers. Customers are always advised to discuss specification details with their
applying deader especially. You are model subscious to dependent upon one of the features.

these specification details do not apply to any periodic product which is supplied or the specification details do not apply to any periodic product which is supplied or contains a solid or without motion and of each time it much income or all to place it. Make the contains a solid or without motion and of each time it much income or all to place it. Make the end or any expectation was to be modified by why effect incomes in each to examine when the place it is related in the experimental or any particular product. This publication shall and constitutes in any constitutions of solid or and office the fact Engine to see person. Sill adapted Considers of their and Hermetry given to the Destroyer or Destroy capital adapted Considers of their and Hermetry given to the Destroyer or Destroy capital which they be to destroy the Destroyer or Destroyer or Destroyer or Solids that the Destroyer of Destroyer or Destroyer or Solids that the Destroyer of Destroyer or Solids that the Destroyer of Destroyer or Solids that the Destroyer of Destroyer or Solids that the Destroyer or Solids that the Destroyer or Solids that the Destroyer or Destroyer or Solids that the Solids that the Solids that Solids that the Destroyer or Solids that the Solids that Solids that the Solids that Solids that Solids that Solids that Solids that Solids that Solids the Solids that Solid

Honda UK, 4 Power Road, Chiswick, London W4 5YI A division of Benda Mater Europe Ltd. Registered office: Coversham Bridge House